

DATE: 3/21/2017

FARM: RUNNYMEDE

NAME: ONE IN A ROMP 16

DOCTOR: DH Rodgerson, DVM, MS, Diplomate ACVS

LF Fetlock: NSF*

RF Fetlock: NSF*

LH Fetlock: Five small fragments. Two extra-articular on the back inside and outside of P1. Two fragments off axial base of medial and lateral sesamoids. One fragment dorsal lateral proximal aspect of P1.

RH Fetlock: NSF*

Left Knee: NSF*

Right Knee: NSF*

Left Hock: Large OCD lesion involving the distal intermediate ridge of the tibia. We can remove this but we will have a large defect after removal.

Right Hock: Large OCD lesion involving the distal intermediate ridge of the tibia. We can remove this but we will have a large defect after removal. This one is trying to heal back and less of a fibrous union.

Left Stifle: NSF*

Right Stifle: NSF*

** NSF= No significant radiographic findings.*

Comments: Removal of fragments in left hind will require both medial and lateral approaches. Therefore horse will require repositioning to accomplish removal of all fragments. The hocks, if surgery performed, would require dorsal positioning. I would do the left hind first.

The above expresses the opinion of the examiner based on results and findings by the examiner at the time of the radiographic examination. This opinion is rendered only to the party requesting said examination and may not be relied upon by any other party. Results of examinations of this nature and the opinion expressed shall not carry with it any warranty of guarantee of any other kind, expressed or implied.